



Galaxy®
Packaging Machines



**YOU NAME IT
WE'LL PACK IT**

**TECHNOLOGY
EXPERIENCE
EXPERTISE**

www.galaxy machines india.com



YOU NAME IT, WE'LL PACK IT
GALAXY PACKAGING MACHINES

WE ARE A LEADING MANUFACTURER OF **POUCH PACKING MACHINE** TO PACK **METAL & RUBBER COMPONENTS** SPECIALLY IN AUTOMOBILE & HAND TOOLS SECTOR. THE COMPANY WAS ESTABLISHED IN **1991** BY **SH. ARUN AGGARWAL**. WITH HIS TECHNICAL EXPERIENCE, VISION & PROFICIENT MANAGEMENT SKILLS HE IS HANDLING THE COMPANY VERY WELL. AN OUTSTANDING PERFORMANCE THAT CAME WITH QUALITY, EXCELLENT FINISH, GOOD SERVICES & COST EFFECTIVE PRODUCTS.

OUR MISSION IS DIRECTED TOWARDS PROVIDING COMPLETE SATISFACTION TO OUR CUSTOMERS BY WELCOMING THEIR SUGGESTIONS AND REGULAR RESEARCH & DEVELOPMENT TO IMPROVE FUNCTIONAL EFFICIENCY.

OUR VISION IS TO PROVIDE EFFICIENT AFTER SALE SERVICES AND EFFECTIVE CONSULTANCY.





GP 702

FOUR SIDE SEALING TYPE MACHINE

OUR PRODUCTS ARE DESIGNED WITH LATEST TECHNOLOGIES & ASSURE THE INTERNATIONAL STANDARD. THIS MACHINE MODEL IS MADE FOR FLAT SHAPE COMPONENTS. UNIQUE WAY OF PACKING PARTS BY SANDWICHING METHOD YOU MAY HAVE SEEN NEVER BEFORE. THUS HELPING IN RETAINING BIG SIZE BAGS. FOUR SIDE SEALING TYPE POUCH STRUCTURE

SPECIFICATION

MODEL	GP 702
MACHINE TYPE	PNEUMATICALLY OPERATED FOUR SIDE SEALING TYPE
PRODUCTION RATE	UPTO 1800 POUCH PER HOUR (DEPENDING UPON SIZE & TYPE OF PRODUCT)
SACHET DIMENSION (POUCH SIZE VARIATION)	WIDTH (MIN/MAX) - 120 MM / 250 MM LENGTH (MIN/MAX) - 120 MM / 500 MM
WRAPPING MATERIAL	HEAT SEALABLE COMBINATION OF POLYESTER + POLY
REEL / PACKING ROLL	
NO. OF REEL	2
OUTER REEL DIA	12' (300 mm)
REEL CORE	3' (76mm)
POWER REQUIRED	230V SINGLE PHASE 3KW.
AIR REQUIRED	3HP-8CFM-100PSI (AIR COMPRESSOR TO BE PROVIDED BY BUYER)
ON SITE SETUP REQUIREMENT	16/32 AMP 220V SUPPLY SOURCE COMPRESSED AIR LINE SOURCE UNDER GROUND EARTH CONNECTIVITY

Suitable To Pack





GP 108

CENTER SEALING TYPE MACHINE

EASIEST ART OF PACKAGING ! THIS MODEL IS MADE TO HELP EACH SECTOR TO RETAIN FLEXIBLE POUCH PACKING. MADE FOR PACKING OF SMALL COMPONENTS. CENTER SEALING TYPE POUCH STRUCTURE. WE CALL IT AS UNIVERSAL MODEL. THE MOST IMPORTANT PART OF OUR REPUTED ENTERPRISE IS QUALITY OF PRODUCT.

SPECIFICATION

MODEL	GP 108
MACHINE TYPE	PNEUMATICALLY OPERATED CENTER SEALING TYPE
PRODUCTION RATE	UPTO 1800 POUCH PER HOUR (DEPENDING UPON SIZE & TYPE OF PRODUCT)
SACHET DIMENSION (POUCH SIZE VARIATION)	WIDTH (MIN/MAX) - 50 MM / 120 MM LENGTH (MIN/MAX) - 50 MM / 350 MM
WRAPPING MATERIAL	HEAT SEALABLE COMBINATION OF POLYESTER + POLY
REEL / PACKING ROLL	
NO. OF REEL	1
OUTER REEL DIA	12" (300 mm)
REEL CORE	3' (76mm)
POWER REQUIRED	230V SINGLE PHASE 3KW.
AIR REQUIRED	3HP-8CFM-100PSI (AIR COMPRESSOR TO BE PROVIDED BY BUYER)
ON SITE SETUP REQUIREMENT	16/32 AMP 220V SUPPLY SOURCE COMPRESSED AIR LINE SOURCE UNDER GROUND EARTH CONNECTIVITY

Suitable To Pack



+91-8199904302

info@galaxymachinesindia.com



GP 108mini

CENTER SEALING TYPE MACHINE

GP 108L

CENTER SEALING TYPE MACHINE

MODEL	GP 108 mini	GP 108L
MACHINE TYPE	PNEUMATICALLY OPERATED CENTER SEALING TYPE	PNEUMATICALLY OPERATED CENTER SEALING TYPE
PRODUCTION RATE	UPTO 2000 POUCH PER HOUR (DEPENDING UPON SIZE & TYPE OF PRODUCT)	UPTO 1500 POUCH PER HOUR (DEPENDING UPON SIZE & TYPE OF PRODUCT)
SACHET DIMENSION (POUCH SIZE VARIATION)	WIDTH (MIN/MAX) - 30 MM / 80 MM LENGTH (MIN/MAX) - 50 MM / 150 MM	WIDTH (MIN/MAX) -50 MM / 150 MM LENGTH (MIN/MAX) - 100 MM / 650 MM
WRAPPING MATERIAL	HEAT SEALABLE COMBINATION OF POLYESTER + POLY	HEAT SEALABLE COMBINATION OF POLYESTER + POLY
REEL / PACKING ROLL		
NO. OF REEL	1	1
OUTER REEL DIA	12'' (300 mm)	12'' (300 mm)
REEL CORE	3' (76mm)	3' (76mm)
POWER REQUIRED	230V SINGLE PHASE 3KW.	230V SINGLE PHASE 3KW.
AIR REQUIRED	3HP-8CFM-100PSI (AIR COMPRESSOR TO BE PROVIDED BY BUYER)	3HP-8CFM-100PSI (AIR COMPRESSOR TO BE PROVIDED BY BUYER)
ON SITE SETUP REQUIREMENT	16/32 AMP 220V SUPPLY SOURCE COMPRESSED AIR LINE SOURCE UNDER GROUND EARTH CONNECTIVITY	16/32 AMP 220V SUPPLY SOURCE COMPRESSED AIR LINE SOURCE UNDER GROUND EARTH CONNECTIVITY



GP 207

KIT PACKING MACHINE CENTER
SEALING TYPE

ASSEMBLY AND SORTING OF VARIOUS COMPONENTS TO BE PACK IN SAME POUCH IS VERY EASY WITH THIS DESIGN AND METHOD. THIS MODEL IS SPECIALLY DESIGNED FOR KITS MAKING AND PACKING AT HIGH SPEED. APPLICABLE TO HARDWARE AND FASTENERS. EVERY APPLIANCE AND DEVICES NEED A MOUNTING KIT. WHERE NEED OF SUPPLYING FASTENERS AT FAST SPEED IS POSSIBLE BY SUCH AN AMAZING DESIGN.

SPECIFICATION

MODEL	GP 207
MACHINE TYPE	PNEUMATICALLY OPERATED CENTER SEALING TYPE
PRODUCTION RATE	UPTO 1500 POUCH PER HOUR (DEPENDING UPON SIZE & TYPE OF PRODUCT)
SACHET DIMENSION (POUCH SIZE VARIATION)	WIDTH (MIN/MAX) - 50 MM / 120 MM LENGTH (MIN/MAX) - 80 MM / 350 MM
WRAPPING MATERIAL	HEAT SEALABLE COMBINATION OF POLYESTER + POLY
REEL / PACKING ROLL	
NO. OF REEL	1
OUTER REEL DIA	12'' (300 mm)
REEL CORE	3' (76mm)
POWER REQUIRED	230V SINGLE PHASE 3KW.
AIR REQUIRED	3HP-8CFM-100PSI (AIR COMPRESSOR TO BE PROVIDED BY BUYER)
ON SITE SETUP REQUIREMENT	16/32 AMP 220V SUPPLY SOURCE COMPRESSED AIR LINE SOURCE UNDER GROUND EARTH CONNECTIVITY

Suitable To Pack



+91-8199904302

info@galaxymachinesindia.com

GP 306

AUTO COUNT & PACK
CENTER SEALING TYPE MACHINE

WE CONDUCT STRICT QUALITY CHECKS UNDER VARIOUS METHOD. THIS IS WHEN YOU DEMAND PRECISION & ACCURACY HERE IS OUR COUNTS AND PACKS MODELS. APPLICABLE TO PRODUCTS LIKE STEEL BALLS, AYURVEDIC TABLETS, PHARMA TABLETS GEMS, NAPTHELENE BALLS ETC. HIGH SPEED AUTOMATIC POUCH PACKING MACHINE WITH ADJUSTABLE COUNTING FEEDER.



SPECIFICATION

MODEL	GP 306
MACHINE TYPE	PNEUMATICALLY OPERATED CENTER SEALING TYPE
PRODUCTION RATE	1500 TO 3000 POUCH PER HOUR (DEPENDING UPON SIZE & TYPE OF PRODUCT)
SACHET DIMENSION (POUCH SIZE VARIATION)	WIDTH (MIN/MAX) - 30 MM / 100 MM LENGTH (MIN/MAX) - 50 MM / 200 MM
WRAPPING MATERIAL	HEAT SEALABLE COMBINATION OF POLYESTER + POLY
REEL / PACKING ROLL	
NO. OF REEL	1
OUTER REEL DIA	12" (300 mm)
REEL CORE	3' (76mm)
POWER REQUIRED	230V SINGLE PHASE 3KW.
AIR REQUIRED	3HP-8CFM-100PSI (AIR COMPRESSOR TO BE PROVIDED BY BUYER)
ON SITE SETUP REQUIREMENT	16/32 AMP 220V SUPPLY SOURCE COMPRESSED AIR LINE SOURCE UNDER GROUND EARTH CONNECTIVITY

Suitable To Pack



POUCH PACKAGING MACHINES AVAILABLE FOR

- Automotive After Market Spare Parts
- Cycle Parts
- Rubber Parts & Oil Seals
- Kitchen & Door Fittings
- Bath Fittings & Pipe Fittings
- Electrical Components
- Stationary
- Cosmetics
- Brooms
- Pooja Material

Our **VALUED** Customers



GALAXY PACKAGING MACHINES[®]

Industrial Area Mandhour, Naraingarh Road, Ambala City.

M: 9992014302, 8199904302

E-mail : galaxy_machines@yahoo.com, sales@galaxymachineindia.com

Web : www.galaxymachinesindia.com